

# Utah Department of Environmental Quality

## Division of Drinking Water

### Monitoring Schedule

Run Date:  
08/04/2011 01:01 pm

**PWS ID:** UTAH26064      **Name:** MILL HOLLOW EDUCATION CENTER

**Legal Contact:** MILL HOLLOW EDUCATION CTR      **Rating:** Not Approved  
DAVID MCOMIE      **Rating Date:** 07/06/2010

**Address:** 501 E 3900 S      **Activity Status:** Active  
SALT LAKE CITY, UT 84107

**Phone Number:** 801-646-4668

**City Served (Area):**

**County:** WASATCH COUNTY

**System Type:** Non-community      **Last Inv Update:** 05/28/2010      **Avg Daily Prod:**

**Activity Status Cd:** Active      **Last Snty Srv Dt:** 08/11/2009      **Total Dsgn Cap:**

**Population:** 220      **Surveyor:** DWIGHT HILL      **Total Emerg Cap:**

**Oper Period:** 6/1 to 9/14

**Gal/Day   Gal/Min**

### Total Coliform Rule Monitoring

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name
1	Routine	Quarterly	07/01/2010		6/1	9/30	COLIFORM (TCR)

### Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ☐ ID Facility Name

Analyte Name	Sample Count	Sample Type	Sample Frequency	Last Sample	Next Sample Between
SS951 GROUP SOURCE SAMPLING STATION SS951		Activity Status: A	Sample Label: UTAH26064	SS951	SS951
SULFATE	1	Routine	9Y	06/27/2008	01/01/2011-12/31/2019
NITRATE	1	Routine	Year	07/06/2010	01/01/2011-12/31/2011

### Sources Grouped for Sampling Compliance

Source Group ID: UTAH SAMPLING STATION SS951

#### Sources in Group

WS001	SCHOOL DISTRICT SPRING 1	UTAH26064	MILL HOLLOW EDUCATION CENTER
WS002	MILL HOLLOW SPRING 2	UTAH26064	MILL HOLLOW EDUCATION CENTER